

Safety Footwear Catalogue



2025 Version



What ever your PPE requirements, Lloyd & Jones has the right solution

Welcome to our 2025 footwear collection!

The "Core" products listed here are readily available for fast delivery from our distribution centre, even if not stocked at your local branch. If these items don't quite fit your style, size, or needs, simply contact your friendly local branch - they'll be happy to advise on our wide range of other supplier options.

Lloyd & Jones is dedicated to safeguarding workplace safety by providing a comprehensive range of high-quality Personal Protective Equipment (PPE). We support the diverse safety needs of clients across high-risk industries like oil & gas, petrochemical, construction, and nuclear.

Our full spectrum of PPE solutions includes protective clothing, headgear, eye wear, hearing protection, respiratory, and hand protection. All products are sourced from trusted manufacturers to ensure compliance with the latest safety standards.

Our in-depth industry expertise allows us to guide clients in selecting PPE that meets their unique operational demands. With a focus on quality, reliability, and value, we offer durable, certified protection solutions.

Prompt, reliable delivery is ensured through our strategic stocking capabilities and nationwide network of technical sales engineers, minimizing potential safety disruptions on-site.

By choosing Lloyd & Jones, you gain a dependable supply chain partner dedicated to helping you maintain a safe, compliant, and productive work environment.





















As a Registered Safety Supplier under the British Safety Industry Federation (BSIF) Scheme, Lloyd & Jones has demonstrated our commitment to upholding the highest standards of quality and safety.

What is the Registered Safety Supplier Scheme?

The Registered Safety Supplier Scheme (RSSS) is an initiative created by the British Safety Industry Federation (BSIF) to support the UK safety equipment market. Companies that display the RSSS logo have signed a binding declaration that the safety products and services they offer meet the appropriate standards, fully comply with PPE regulations, and are correctly CE marked.

The purpose of the RSSS is to provide assurance to users that only compliant and properly performing safety products are being supplied through a capable, educated, and competent supply chain. The scheme gives BSIF members a recognized way to demonstrate their compliance and due diligence in meeting the obligations of an economic operator under the PPE Regulation (EU) 2016/425.

The RSSS benefits both purchasers and end-users of safety products and PPE by providing assurance that the equipment they buy will perform as it should.





EN ISO RATING S1P

ESPRO ES01 - CHUKKA

S1P SRC

This sleek chukka boot is crafted with a smooth leather up and is loaded with protective features to keep your feet safe and comfortable all day long.

- · Dual density shock absorbent, anti-slip, anti-static and fuel oil resistant PU sole
- · Energy absorbing sole reduces foot fatigue
- Padded collar for ankle support



Standards: EN ISO 20345:2011 S1-P SRC

| Part No. | Colour | Size |
|-------------|--------|--------|
| CHUKKA/Size | Black | 2 - 13 |

REGATTA MUDSTONE

S1P SRC

The water-resistant upper and padded ankle support shield you from the elements, while the flexible, cushioned midsole and outsole deliver all-day comfort.

- PU nubuck and breathable mesh upper for lightweight
- EVA Midsole for comfort
- · Moulded EVA comfort footbed
- · Oil resistant durable rubber outsole



Standards: EN ISO 20345:2011 S1-P SRC

| Part No. | Colour | Size |
|------------------|--------|--------|
| REGTRK201BL/Size | Black | 6 - 12 |

EN ISO RATING S3

AMBLERS AS803 BROAD S3 WR HRO SRC

The AS803 Broad extra wide EE fit waterproof safety boot has an impressive fit. An anatomically moulded extra-wide steel toe cap provides an exceptionally roomy toe box area.

- · Water resistant leather upper
- · Shock absorbing heel, anti-slip, anti-static and fuel oil resistant phylon/rubber sole
- Steel toe cap and midsole
- · Moulded PU toe and heel guard



Standards: EN ISO 20345:2011 S3 SRC WR HRO

| Part No. | Colour | Size |
|----------------|--------|--------|
| FOOTAS803/Size | Black | 7 - 14 |

AMBLERS FS32

A durable, comfortable safety boot with inbuilt waterproof breathable membrane lining, antistatic, penetration protection and 300 °C heat resistant outsole.

- · Leather upper
- Shock absorbing heel, anti-slip, anti-static and fuel oil resistant phylon/rubber sole
- Steel toe cap and midsole
- · Moulded textured toe and heel guard

Waterproof

S3 WR HRO SRC



Standards: EN ISO 20345:2011 S3 SRC WR HRO

| Part No. | Colour | Size |
|---------------|--------|--------|
| F00TFS32/Size | Black | 3 - 16 |

AMBLERS FS33

A versatile, flexible and rugged waterproof safety boot. Crafted with a water-resistant full grain Nubuck leather upper and features Amblers internal DRI-BLOC waterproof, breathable membrane.

- Full grain Nubuck leather upper
- · Shock absorbing heel, anti-slip, antistatic and fuel oil resistant phylon/ rubber sole
- · Steel toe cap and midsole
- Moulded textured toe and heel guard



S3 WR HRO SRC

Standards: EN ISO 20345:2011 S3 SRC WR HRO

| Part No. | Colour | Size |
|---------------|--------|--------|
| FOOTFS33/Size | Honey | 6 - 15 |

APACHE AP714SM

Slip into this lightweight, black water-resistant dealer boot with ease. Elasticated sides allow for quick foot entry, while the steel toe cap and midsole provide durable protection.

- · Water resistant leather upper
- · Dual density shock absorbent, antislip, anti-static and fuel oil resistant PU/TPU sole
- · Energy absorbing reduces foot fatique
- · Anti scuff toe guard



S3 SRC

Standards: EN ISO 20345:2011 S3 SRC

| Part No. | Colour | Size |
|-------------------|--------|--------|
| AP714SMBLACK/Size | Black | 6 - 13 |





APACHE FLYWEIGHT DEALER

S3 SRA

Slip into this lightweight, brown water-resistant dealer boot with ease. Elasticated sides allow for quick foot entry, while the aluminium toe and composite midsole provide durable protection.

- Water resistant leather upper
- Dual density shock absorbent, antislip, anti-static and fuel oil resistant phylite/rubber sole
- Energy absorbing reduces foot fatigue



Standards: EN ISO 20345:2011 S3 SRA

| Part No. | Colour | Size |
|---------------------|--------|--------|
| FLYWEIGHTBROWN/Size | Brown | 6 - 12 |

BLACKROCK CLAYTON HIKER S3 SRC

The Clayton Hiker features a water resistant leather upper to keep feet dry. It also has both steel toe cap and midsole protection and the hardwearing, dual density PU sole is shock absorbent, anti-slip, anti-static and fuel oil resistant.

- · Water resistant mesh/TPU upper
- Dual density shock absorbent, antislip, anti-static and fuel oil resistant PU sole
- Energy absorbing heel reduces foot fatigue



Standards: EN ISO 20345:2011 S3 SRC

| Part No. | Colour | Size |
|------------|--------|--------|
| SF102/Size | Black | 3 - 13 |

DEWALT DOUGLAS

Black leather waterproof safety boot with steel toe cap and steel midsole protection. Waterproof & breathable

inner membrane lining. PU/Rubber outsole heat resistant to 300 °C. Comfort PU insole.

- Leather upper
- Dual density shock absorbent, antislip, anti-static and fuel oil resistant PU/Rubber sole
- Energy absorbing heel reduces foot fatigue

Waterproof Heat Resistant Sole

S3 WR HRO SRC

Standards: EN ISO 20345:2011 S3 SRC WR HRO

| Part No. | Colour | Size |
|--------------|--------|--------|
| DOUGLAS/Size | Black | 6 - 12 |

ESPRO ES03 - EVOLVE

S3 SRC

The Evolve Boot is a time-tested safety footwear style.

- · Water resistant leather upper
- Steel toe cap and protective midsole
- Dual density shock absorbent, anti-slip, anti-static and fuel oil resistant PU sole
- Energy absorbing heel reduces foot fatigue
- Padded collar for ankle support



Standards: EN ISO 20345:2011 S3 SRC

| Part No. | Colour | Size |
|-----------|--------|--------|
| ES03/Size | Black | 3 - 13 |

ESPRO ES04 - ECLIPSE

S3 SRC

The Eclipse Boot takes the classic chukka boot and adds some stylish touches. Perfect for day long comfort.

- Water resistant leather upper
- Steel toe cap and midsole
- Dual density shock absorbent, anti-slip, anti-static and fuel oil resistant PU sole
- Energy absorbing heel reduces foot fatigue
- · Padded collar for ankle support



Standards: EN ISO 20345:2011 S3 SRC

| Part No. | Colour | Size |
|-----------|--------|--------|
| ES04/Size | Black | 3 - 13 |

ESPRO ES05 - EQUINOX

S3 WR HRO SRC

Features a waterproof membrane sewn into the upper to keep feet dry. It has both steel toe cap and midsole protection. Ideal for demanding environments.

- Leather upper
- Dual density shock absorbent, anti-slip, anti-static and fuel oil resistant, HRO rated PU/ rubber sole
- Energy absorbing heel reduces foot fatigue
- · Heavy duty bump cap



Standards: EN ISO 20345:2011 S3 SRC WR HRO

| Part No. | Colour | Size |
|-----------|--------|--------|
| ES05/Size | Black | 6 - 13 |





ESPRO ES06 - ELEVATION S3 WR HRO SRC

Heat Resistant Sole

Features a waterproof membrane sewn into the upper to keep feet dry. It has a composite toe cap and midsole making it metal free.

- · Nubuck leather upper
- Dual density shock absorbent, anti-slip, anti-static and fuel oil resistant, HRO rated PU/ Rubber sole
- Energy absorbing heel reduces foot fatigue
- · Heavy duty bump cap

V12 OTTER



Standards: FN ISO 20345:2011 S3 SRC WR HRO

| | Standards. EN 150 2054 | 13.2011 33 3NC WIN TINO |
|-----------|------------------------|-------------------------|
| Part No. | Colour | Size |
| ES06/Size | Black | 6 - 13 |

S3 SRC

Otter is one of the lightest boots in its class and features an ergonomic top band for comfort when driving, a suede leather tongue and anti snagging eyelet system.

- Water resistant leather upper
- Non metallic toe cap and protective midsole
- Anti-slip, anti-static and fuel oil resistant PU sole
- · Breathable lining.



Standards: EN ISO 20345:2011 S3 SRC

| Part No. | Colour | Size |
|-----------------|--------|--------|
| V12V640001/Size | Black | 3 - 13 |

UVEX QUATRO

Breathable, leather, lace up boot with PU scuff cap and heel. Steel toe cap and midsole.

- · Leather Upper, with wide fit
- Dual density shock absorbent, anti-slip, anti-static and fuel oil resistant. PUR sole
- Energy absorbing insole reduces foot fatigue
- Soft padded collar
- Outsole is heat-resistant to +120°C

S3 FO SRC



Standards: EN ISO 20345:2011 S3 SRC FO

| Part No. | Colour | Size |
|----------------|--------|--------|
| UVEX84012/Size | Black | 5 - 15 |

Ladies Boot

ROCKFALL VX650A ONYX S3 HRO WR SRC

The VX950A Onyx isn't just a safety boot – it's a game-changer. Unlike bulky men's boots shrunk down, this boot is designed from the ground up to fit and support the unique contours of the female foot.

- Water resistant leather upper
- Non metallic toe cap and protective midsole
- · Breathable lining
- Durable nitrile rubber outsole



Standards: EN ISO 20345:2011 S3 HRO WR SRC

| Part No. | Colour | Size |
|-------------|--------|-------|
| VX950A/Size | Black | 3 - 8 |

EN ISO RATING S7

APACHE CHILLIWACK S7S SC HRO LG FO SR

The Chilliwack is a versatile boot engineered with the worker in mind. The boot boasts an external side zip, allowing for ease and quickness of access. A waterproof Safety Boot manufactured on the GTS Outsole

- Waterproof breathable upper.
- GTS® PU/rubber outsole offers good slip resistance and is heat and fuel resistant.
- Fully non Metallic



Standards: EN ISO 20345:2022 S7S SR SC HRO LG FO

| Part No. | Colour | Size |
|-----------------|--------|--------|
| CHILLIWACK/Size | Black | 5 - 13 |

BLACKROCK CF35 TREKGUARD S7L LG FO SR

- Features a waterproof membrane sewn into the upper to keep feet dry. It has metal free toe cap and midsole protection.
- Nubuck leather upper
- Dual density shock absorbent, anti-slip, anti-static and fuel oil resistant PU sole
- Energy absorbing heel reduces foot fatigue
- Bump Cap



Standards: EN ISO 20345:2022 S7L SR LG FO

| Part No. | Colour | Size |
|-----------|--------|--------|
| CF35/Size | Black | 3 - 13 |





Metatarsal Boot

ROCK FALL MONZONITE RF540

This durable, high-performance boot is engineered to keep you safe and comfortable. Its world-first internal metatarsal protection safeguards your feet from impact, while the tough outsole grips any surface.

- Waterproof membrane keeps feet cool and dry
- Ankle support helps stability on uneven terrain
- Side zip for easy entry and exit

Standards: EN ISO 20345:2022 S3 HI CI WR M HRO SRC

S3 HI CI HRO WR M SRC

Heat Resistant Sole

Heat Insulated Sole

Cold Insulated Sole

Waterproof

| Part No. | Colour | Size |
|------------|--------|--------|
| RF540/Size | Black | 5 - 14 |

Welders Boot

ROCK FALL SPARK

S3 HI CI HRO Wg SRC

Heat Resistant Sole

Heat Insulated Sole

Cold Insulated Sole

Non - Metallic

Protect your feet like a superhero with the Spark - RF5000 safety boot. This specialised welding boot is engineered to shield your feet from heat and sparks.

- Flame retardant leather upper
- FR Kevlar stitching
- Nitrile Rubber outsole with heat resistance.
- Breathable mesh fabric lining
- · Climate breathable footbed
- Scuff cap

Standards: EN ISO 20349-2:2017 A1:2020 S3HI CI HRO Wg SRC

| Part No. | Colour | Size |
|-------------|--------|--------|
| RF5000/Size | Black | 3 - 14 |

Rigger Boots

BLACKROCK SF01

Blockrock Rigger – A comfortable faux fur lined rigger boot, with leather upper – triple stitched for extra strength in the icon rigger boot style.

- PU outsole offering shock absorbance and anti slip, antistatic and fuel oil resistance properties
- A kick plate on the heel offers easy removal

S1P SRC



Standards: EN ISO 20345:2011 S1P SRC

| Part No. | Colour | Size |
|-------------|--------|--------|
| RIGGER/Size | Tan | 5 - 13 |

Full details of each style is available on our website - Scan to view

Step up your worksite protection with the Dewalt Millington Rigger Boot – built to keep your feet dry, safe, and comfortable all day long.

DEWALT MILLINGTON

- Waterproof membrane lining
- Composite toe cap and midsole
- PU/rubber outsole with heat resistance.
- Toe scuff Cap



S3 WR HRO SRC

Standards: EN ISO 20345:2011 S3 WR HRO SRC

| Part No. | Colour | Size |
|-----------------|--------|--------|
| MILLINGTON/Size | Brown | 5 - 13 |



Embroidery and printing services available on selected PPE* products.

- Display your brand with our professional printing and embroidery service
- Great for work wear and corporate clothing
- A range of colours and sizes available
- Individual items or bulk orders accepted

Scan me to find your local branch



For information and pricing, please contact your local branch:





^{*}Not available on Footwear

Safety Shoes

BLACKROCK CLAYTON TRAINER

The Clayton Hiker features a water resistant mesh TPU upper to keep feet dry. It also has both steel toe cap and midsole protection and the hardwearing, dual density PU sole is shock absorbent, anti-slip, anti-static and fuel oil resistant.

- Water resistant mesh/TPU upper
- · Dual density shock absorbent, antislip, anti-static and fuel oil resistant PU sole
- · Energy absorbing heel reduces foot fatigue



Standards: EN ISO 20345:2011 S3 SRC

| Part No. | Colour | Size |
|------------|--------|--------|
| SF101/Size | Black | 3 - 13 |

ROCKFALL FLY

100% Non-metallic, with breathable polyester upper and shock adsorbing dual density sole. This lightweight trainer is comfortable all day long.

- · Water repellent Breathable upper.
- · Activ-Step® rubber outsole offers good slip resistance
- · Energy absorbing midsole reduces foot fatigue

S3S FO SR

Non - Metallic Vegan & Sustainable



Standards: EN ISO 20345:2022 S3S FO SR

| Part No. | Colour | Size |
|------------|--------|--------|
| RF108/Size | Black | 3 - 13 |

BLACKROCK NEWARK

S1P SRC

The Newark safety trainer features a flyknit upper with both steel toe cap and midsole protection. Its hard wearing, dual density PU sole is shock absorbent, anti-slip, anti-static and fuel oil resistant.

- Non Metallic Midsole
- Padded Collar
- · Energy absorbing heel





View manufacturer's video

| Part No. | Colour | Size |
|-----------|--------|--------|
| SF99/Size | Black | 3 - 13 |

Hygiene Shoe

BLACKROCK SRC04 (B)

S2 SRC

Designed for demanding indoor environments like food prep, medical facilities, and pharmaceutical labs, this shoe keeps you safe, comfortable, and hygienic



- Machine washable at 40°C
- Self cleaning sole
- · Energy adsorbing heel -reduces foot fatique



Machine Washable Self cleaning sole



Standards: EN ISO 20345:2011 S2 SRC

| Part No. | Colour | Size |
|-------------|--------|--------|
| SRC04/Size | White | 3 - 13 |
| SRC04B/Size | Black | 3 - 13 |

Safety Wellington

BLACKROCK SF43

For when the job demands the toughest protection. This boot features a waterproof PVC nitrile construction with a washable nylon lining to keep your feet dry and comfortable.

- · Waterproof
- · Kick spur and bump cap for durability
- · Anti-slip, anti-static and fuel oil resistant PU sole
- · Energy absorbing heel reduces foot fatique



Standards: EN ISO 20345:2011 S2 SRC

| Part No. | Colour | Size |
|----------|--------|--------|
| WBS/Size | Black | 3 - 13 |

ROCKFALL SILT

Conquer the toughest outdoor terrain with this Wellington - a rugged, hardworking boot engineered to keep your feet protected and comfortable.

- · Metal Free composite midsole and
- 5mm neoprene waterproof upper with rubber overlays for protection
- · Cushioned footbed reduces fatigue
- Reflective trim enhances visibility



Standards: EN ISO 20345:2022 S5S CI HRO SC AN FO SR

| Part No. | Colour | Size |
|------------|-------------|--------|
| RF290/Size | Blue/Orange | 3 - 14 |







Find your local branch and access our online store at

www.lloyd-jones.com

The products listed are a part of our core stock. Please contact your local branch or area representative for details on our extended footwear range.

